

**SECTION 1. Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product code : Sens.ùs TAB>U style Curl Kick Mousse

**Relevant identified uses of the substance or mixture and uses advised against**

products to keep your hair in shape (lotions, lacquers, brilliantines).

Sectors of use:

Other (Professional and consumer uses)[SU0]

Product category:

Cosmetics, personal care products

Process categories:

Intended to final consumer., Professional Use

Uses advised against

Do not use for purposes other than those listed

**Details of the supplier of the safety data sheet**

G&P Cosmetics srl

Via A. De Gasperi 8

52037 Sansepolcro (AR) - Italy -

Tel. + 39 0575/720682

Fax +39 0575/749923

email della persona competente, responsabile della Scheda di Sicurezza: / email of the liable expert:  
regulatory@ilovesensu.it

National contact: Foreign destination unknown. Access point for informations: Biacré laboratori cosmetici

- G&P Cosmetics srl
- Via A. De Gasperi 8
- 52037 Sansepolcro (AR) - Italy -

**Emergency telephone number**

Osp. Niguarda Ca' Granda - Piazza Ospedale Maggiore, 3 Milano 02-66101029

**SECTION 2. Hazards identification****Classification of the substance or mixture**

CAS miscela/blend EINECS miscela/blend REACH miscela/blend

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS02

Hazard Class and Category Code(s):

Flam. Aerosol 1

Hazard statement Code(s):

H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

Aerosol that ignites easily even at low temperatures, fire risk

The repeated inhalation of vapors can cause drowsiness and giddiness.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 ° C.

The aerosol containers overheated burst and can be ejected with violence from a distance and can take place a dangerous mechanism for the fire.

**Label elements**

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

GHS02 - Danger



Hazard statement Code(s):

H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

Storage

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Contains:

Ingredients:

Aqua (Water), Alcohol Denat. (Sd Alcohol 3-c), Vp/va Copolymer, Butane, Propane, Isobutane, Polyquaternium-4, Phenoxyethanol, Peg/ppg-18/18 Dimethicone, Peg-40 Hydrogenated Castor Oil, Cocamidopropylamine Oxide, Parfum (Fragrance), Polyquaternium-11, Vp/dimethylaminoethylmethacrylate Copolymer, Hexyl Cinnamal, Geraniol, Linalool, Alpha-isomethyl Ionone, Limonene, Citronellol.

**Other hazards**

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

Hazard pictograms: None

The most important adverse physical-chemical human health and environmental effects are listed in sections 9 to 12 of this safety data sheet.

In case of emergency or if you need to contact the emergency telephone number listed in paragraph 1.4 of this Safety Data Sheet, indicate clearly the name of the product as shown on the label, referring to the following number and type of formula (formula representing the product on the basis of system Frame Formulation EAPCCT / COLIPA): 12.6 - 2013

**SECTION 3. Composition/information on ingredients**
**Substances**

Irrelevant

**Mixtures**

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
ethyl alcohol - FEMA 2419	> 5 <= 10%	Flam. Liq. 2, H225; Eye Irrit. 2, H319	603-002-00-5	64-17-5	200-578-6	01-2119457 610-43-000 0
3-C12-18-(even numbered)-alkylamido-N,N-dimet hylopropan-1-amino oxide	> 0,1 <= 1%	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 3, H412		68155-09-9	939-581-9	01-2119978 229-22-000 0

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	<= 0,1%	Acute Tox. 4, H302; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 10		1506-02-1	216-133-4	01-2119539 433-40-000 0

## SECTION 4. First aid measures

### Description of first aid measures

#### Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

#### Direct contact with skin (of the pure product):

Wash thoroughly with soap and running water.

#### Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water for at least 10 minutes.

#### Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

### Most important symptoms and effects, both acute and delayed

No data available.

### Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

## SECTION 5. Firefighting measures

### Extinguishing media

#### Advised extinguishing agents:

CO2 or dry powder extinguisher

#### Extinguishing means to avoid:

Direct jets of water

### Special hazards arising from the substance or mixture

Pressurized container: highly flammable also at room Temperature. Risk of explosion in case of overheating. Do not spray directly on open flames. The vapors can be irritating if inhaled.

The aerosol containers overheated burst and can be ejected with violence from a distance and can take place a dangerous mechanism for the fire.

Manufactured under pressure in sealed metal container (test pressure 15 bar max). Cool containers with water spray trying to remove them from the fire. The aerosol containers can be overheated and burst violently ejected from a distance ( protect the head using a safety helmet).

### Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

## SECTION 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke



## SAFETY DATA SHEET

### CURL KICK MOUSSE

Issued on 07/02/2014 - Rel. # 2 on 06/15/2017

# 4 / 12

In conformity to Regulation (EU) 2015/830

Leave the surrounding area recalling that any overheating could project the cylinder at a considerable distance.  
Wear gloves and protective clothing

For emergency responders:

Given the tightness of aerosol, it is unlikely that the spillage may occur.

However if some container is damaged likely to cause a loss, insulate the tank in question by bringing it to open air or covering it with inert material and fuel (eg sand, earth, vermiculite) and having the care to avoid any point of ignition that might pose a serious risk of fire.

Wear gloves and suitable protective clothing .

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

#### **Environmental precautions**

Contain spill

Inform the competent authorities.

Discharge the remains in compliance with the regulations

#### **Methods and material for containment and cleaning up**

For containment:

Recover the product for reuse, if possible, or the removal.

For cleaning up:

After wiping up, wash with water the area and materials involved

Other

information:

None in

particular.

#### **Reference to other sections**

Refer to paragraphs 8 and 13 for more information

## SECTION 7. Handling and storage

#### **Precautions for safe handling**

Avoid contact and inhalation of vapors

Use extreme caution when handling the product. Avoid shock or friction.

Do not smoke at work

At work do not eat or drink.

Vapors are heavier than air and may spread close to the ground and form explosive mixtures with air. Prevent formation of flammable or explosive concentrations in the air.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 ° C.

Do not pierce or burn, even after the use. Do not spray on flame or incandescent objects. Use in adequately ventilated areas.

See also paragraph 8 below.

#### **Conditions for safe storage, including any incompatibilities**

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Pressurized container. Store in a ventilated place, in original packaging away from heat and sunlight.

Keep away from open flames, sparks and heat sources. Avoid direct sunlight exposure.

Keep in the original container tightly closed. Do not store in open or unlabeled containers.

Keep the containers in an upright position and be careful to avoid falls or collisions.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid direct exposure to sunlight.

#### **Specific end use(s)**

Other (Professional and consumer uses):

Handle with care.

Store in ventilated area and away from heat sources.

Keep the container tightly closed.

**SECTION 8. Exposure controls/personal protection****Control parameters**

Related to contained substances:

ethyl alcohol:

TLV: 1000 ppm as TWA A4 (not classifiable as a human carcinogen) (ACGIH 2004). MAK: 500 ppm 960 mg / m Peak limitation category: II (2); carcinogenicity Class 5; Pregnancy risk group: C; Germ cell mutagen group: 5; (DFG 2004).

- Substance: ethyl alcohol

DNEL

Systemic effects Long term Workers inhalation = 950 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 343 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 114 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 206 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 87 (mg/kg bw/day)

Local effects Long term Workers inhalation = 1900

Local effects Short term Consumers inhalation = 950 (mg/m<sup>3</sup>)

PNEC

Sweet water = 0,96 (mg/l)

sediment Sweet water = 3,6 (mg/kg/sediment)

Sea water = 0,79 (mg/l)

sediment Sea water = 2,9 (mg/kg/sediment)

intermittent emissions = 2,75 (mg/l)

STP = 580 (mg/l)

ground = 0,63 (mg/kg ground)

- Substance: 3-C12-18-(even numbered)-alkylamido-N,N-dimethylpropan-1-amino oxide

DNEL

Systemic effects Long term Workers inhalation = 3,52 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 5 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 0,87 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 2,5 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,05 (mg/kg bw/day)

PNEC

Sweet water = 0,0303 (mg/l)

sediment Sweet water = 0,214 (mg/kg/sediment)

Sea water = 0,00303 (mg/l)

sediment Sea water = 0,021 (mg/kg/sediment)

intermittent emissions = 0,0068 (mg/l)

STP = 9,7 (mg/l)

ground = 0,000025 (mg/kg ground)

- Substance: 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one

DNEL

Systemic effects Long term Workers inhalation = 0,175 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 0,61 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 0,043 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 0,305 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,013 (mg/kg bw/day)

Systemic effects Short term Workers inhalation = 0,525 (mg/m<sup>3</sup>)

Systemic effects Short term Workers dermal = 1,8 (mg/kg bw/day)

Systemic effects Short term Consumers inhalation = 0,131 (mg/m<sup>3</sup>)

Systemic effects Short term Consumers dermal = 0,915 (mg/kg bw/day)

Systemic effects Short term Consumers oral = 1,2 (mg/kg bw/day)

PNEC

Sweet water = 0,0022 (mg/l)

sediment Sweet water = 1,72 (mg/kg/sediment)

Sea water = 0,00022 (mg/l)

sediment Sea water = 0,345 (mg/kg/sediment)

intermittent emissions = 0,0061 (mg/l)

STP = 2,2 (mg/l)

ground = 0,31 (mg/kg ground)

**Exposure controls**

Appropriate engineering controls:

Other (Professional and consumer uses):

Not expected

Individual protection measures:

(a) Eye / face protection

Wear safety goggles to EN-166

(b) Skin protection

(i) Hand protection

Not needed for normal use.

(ii) Other

Avoid direct contact with the skin

Better is to use cotton antistatic clothing

(c) Respiratory protection

Work in a sufficiently ventilated to avoid inhaling the product.

(d) Thermal hazards

Pressurized container: risk of explosion in case of overheating, with risk of violent projection at distance and danger of fire spreading.

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

**SECTION 9. Physical and chemical properties**
**Information on basic physical and chemical properties**

Physical and chemical properties	Value	Determination method
Appearance	white foam	organolettico/organoleptical
Odour	typical	organolettico/organoleptical
Odour threshold	not determined	
pH	5.3-5.8	UNI 24003
Melting point/freezing point	not determined	OECD Guideline 102
Initial boiling point and boiling range	not determined	ASTM D86
Flash point	ca. 45°C	ASTM D93
Evaporation rate	irrelevant	
Flammability (solid, gas)	not determined	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	not determined	
Vapour density	not determined	
Relative density	0,92-0,98	ISO 2811-3
Solubility	miscible with water	
Water solubility	miscible with water	
Partition coefficient: n-octanol/water	not determined	OECD Guideline 107
Auto-ignition temperature	not determined	DIN 51794
Decomposition temperature	irrelevant	
Viscosity	<200 cps	ASTM D7042
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	
Container volume	270 ml	
Product volume	200 ml	
Pressure to 20°C	3.2 bar	
Deformation pressure	not determined	

Physical and chemical properties	Value	Determination method
Burst pressure of the container	not determined	
Flash point of liquid phase	45°C	
Propellent inflammability	< -80°C	

**Other information**

No data available.

**SECTION 10. Stability and reactivity****Reactivity**

No reactivity hazards

**Chemical stability**

No hazardous reaction when handled and stored according to provisions.

**Possibility of hazardous reactions**

There are no hazardous reactions

**Conditions to avoid**

Avoid heating the product, it could explode.

Avoid contact with combustible materials. The product could catch fire. heat, open flames, sparks or hot surfaces.

The aerosol product is stable for a period exceeding 36 months and in normal storage conditions can not take place dangerous reactions as the container is almost hermetically sealed.

To avoid that the metal container can deteriorate, keep away from acidic or basic products. Attention to the heat as temperatures exceeding 50 ° C has increased pressure inside the container that gets to deformation of the cylinder until the outbreak.

**Incompatible materials**

It can generate inflammable gases to contact with elementary metals, nitrides, strong reducing agents.

It can generate toxic gases to contact with oxidants mineral acids, organic peroxides, organic water peroxides.

It can ignite in contact with oxidants mineral acids, organic nitrides, peroxides and water peroxides, strong oxidants agents.

**Hazardous decomposition products**

Does not decompose when used for intended uses.

**SECTION 11. Toxicological information****11.1. Information on toxicological effects**

ATE(mix) oral = 77.438,5 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation based on available data, the classification criteria are not met.

(c) serious eye damage/irritation: based on available data, the classification criteria are not met.

(d) respiratory or skin sensitization: based on available data, the classification criteria are not met.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure ethyl alcohol: oral

NOAEL (mouse): 9 700 mg/kg bw/day

NOAEL (mouse): 9 400 mg/kg bw (total dose)

inhalation

NOAEC (rat): 6.66 mg/L air

NOAEC (mouse): 1.3 mg/L air

NOAEC (monkey): 13 mg/m<sup>3</sup> air

NOEC (rat): 130 mg/m<sup>3</sup> air

NOEC (mouse): 130 mg/m<sup>3</sup> air

3-C12-18-(even numbered)-alkylamido-N,N-dimethylpropan-1-amino oxide: NOAEL (rat): 50 mg/kg bw/day

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one: NOAEL (rat): 5 - 15 mg/kg bw/day

(j) aspiration hazard: based on available data, the classification criteria are not met.

This is a cosmetic product ready for use. For itself definition cosmetics are harmless products, which does not pose any risk to the health of consumers if used in a reasonable manner and appropriate to their nature.

Cosmetic products have submitted a specific safety assessment, that provides skin compatibility tests and guarantees the harmless of the product, regardless the presence of one or more components which, taken individually, are classified as hazardous.

## SECTION 12. Ecological information

### Toxicity

Related to contained substances:

ethyl alcohol:

Short-term toxicity to fish

LC50 (4 days) 14.2 - 15.4 g/L

EC50 (4 days) 12.7 - 12.9 g/L

Long-term toxicity to fish

NOEC (5 days) 250 - 1 000 mg/L Short-term

toxicity to aquatic invertebrates EC50

(48 h) 10 g/L

EC50 (24 h) 10 g/L

LC50 (48 h) 5.012 g/L

Long-term toxicity to aquatic invertebrates

NOEC (10 days) 2 - 9.6 mg/L

NOEC (9 days) 9.6 mg/L

LC50 (10 days) 1.806 g/L

LC50 (9 days) 454 mg/L

Toxicity to aquatic algae and cyanobacteria

EC50 (4 days) 675 - 22 000 mg/L

EC50 (72 h) 275 mg/L

Toxicity to aquatic plants other than algae

EC50 (7 days) 4.432 - 5.967 g/L [6]

NOEC (7 days) 280 - 1 296 mg/L

Toxicity to microorganisms

EC50 (4 h) 5.8 g/L

IC50 (3 h) 1 g/L

C(E)L50 (mg/l) = 275

NOEC (mg/l) = 9,6

3-C12-18-(even numbered)-alkylamido-N,N-dimethylpropan-1-amino oxide:

Short-term toxicity to fish

LC50 (4 days) 680 - 1 900 µg/L

Long-term toxicity to fish

NOEC (10.067 months) 420 µg/L Short-term

toxicity to aquatic invertebrates EC50

(48 h) 19.9 mg/L

Long-term toxicity to aquatic invertebrates

NOEC (21 days) 700 µg/L

Toxicity to aquatic algae and cyanobacteria



EC50 (72 h) 705 - 341 000 µg/L  
NOEC (72 h) 303 - 850 µg/L  
Toxicity to microorganisms  
EC50 (3 h) 970 mg/L  
NOEC (3 h) 32 mg/L  
C(E)L50 (mg/l) = 0,68  
NOEC (mg/l) = 0,305  
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one: Short-term toxicity to fish  
LC50 (4 days) 1.49 mg/L  
Long-term toxicity to fish  
NOEC (36 days) 35 - 67 µg/L  
NOEC (34 days) 35 µg/L  
NOEC (21 days) 89 µg/L  
NOEC (6 days) 75 µg/L  
Short-term toxicity to aquatic invertebrates  
EC50 (72 h) 800 µg/L  
Long-term toxicity to aquatic invertebrates  
NOEC (6 days) 22 µg/L  
EC50 (6 days) 72 µg/L  
Toxicity to aquatic algae and cyanobacteria  
EC50 (72 h) 625 - 835 µg/L  
NOEC (72 h) 276 - 404 µg/L  
Sediment toxicity  
NOEC (28 days) 11.5 - 500 mg/kg sediment dw  
EC50 (28 days) 57.6 - 785 mg/kg sediment dw  
Toxicity to terrestrial macroorganisms except arthropods  
NOEC (56 days) 105 mg/kg soil dw  
NOEC (28 days) 250 mg/kg soil dw  
Toxicity to terrestrial arthropods  
NOEC (28 days) 45 mg/kg soil dw  
C(E)L50 (mg/l) = 0,072 Acute toxicity M-factor = 10  
NOEC (mg/l) = 0,022

Use according to good working practices to avoid pollution into the environment.

#### **Persistence and degradability**

Related to contained substances:

ethyl alcohol:

Readily biodegradable

BOD5

1.067 - 1.236 g O<sub>2</sub>/g test material

COD

1.99 g O<sub>2</sub>/g test material

3-C12-18-(even numbered)-alkylamido-N,N-dimethylpropan-1-amino oxide:

Readily biodegradable but failing the 10-day window (100%)

#### **Bioaccumulative potential**

No data available.

#### **Mobility in soil**

Related to contained substances:

ethyl alcohol:

0 - 11.1 %

1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one:

log K<sub>oc</sub>

3.1 - 4.95 @ 40 °C

#### **Results of PBT and vPvB assessment**

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

**Other adverse effects**

No adverse effects

**SECTION 13. Disposal considerations****13.1. Waste treatment methods**

The waste must be disposed of in compliance with the regulations in force delivering empty containers for final disposal and equipped to safely handle pressurized containers containing flammable liquids and gas waste. The empty container heated to temperatures exceeding 70 ° C can burst.

Recover if possible. Operate according to local or national regulations

**SECTION 14. Transport information****UN number**

ADR/RID/IMDG/ICAO-IATA: 1950

ADR exemption because compliance with the following characteristics:

Combination packagings: per inner packaging 1 L per package 30 Kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 1 L per package 20 Kg

**UN proper shipping name**

ADR/RID/IMDG: AEROSOL flammable

ICAO-IATA: AEROSOL flammable

**Transport hazard class(es)**

ADR/RID/IMDG/ICAO-IATA: Class : 2

ADR/RID/IMDG/ICAO-IATA: Label : Onu

ADR: Tunnel restriction code : D

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 1 L

IMDG - EmS : F-D, S-U

**Packing group**

ADR/RID/IMDG/ICAO-IATA: --

**Environmental hazards**

ADR/RID/ICAO-IATA: Product is not environmentally hazardous

IMDG: Marine polluting agent : Not

**Special precautions for user**

The goods must be transported by vehicles carrying dangerous goods in accordance with the requirements published in the ADR Convention and in national regulations. The goods must be in their original packaging and in containers made of materials resistant to content and not likely to generate with this dangerous reaction. Insiders at the loading and unloading of dangerous goods must have received adequate training on the risks and the possible procedures in case of emergency.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

It is not intended to carry bulk

**SECTION 15. Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture**

The finished cosmetic products are specifically excluded from the scope of EC legislation on dangerous preparations. Specific requirements for this legislation are not required, including the need to draw up a safety data sheet.

Particular cases, such as products sold in bulk quantities or semi-finished products are not finished products, thus falling within the scope of that legislation.

In accordance with reg. 1223/2009/EC on cosmetics products, the manufacturer shall make available to an information package on the product and draws up a report of safety in normal use or reasonably foreseeable.

More information:

The evaluation of information on the dangers of mixtures were also carried out in accordance with the criteria referred to in articles 8 and 9 of Reg. (EC) no 1272/2008 (CLP).

EU legislation reference:

- Regulation 1907/2006 / EC (REACH), as amended. Regulation No. 440/2008, as amended (Test methods REACH)
- Regulation 2008/1272 / EC (CLP), version in force
- Regulation 2015/830 / EU (MSDS)
- Regulation 2004/648 / EC, version in force. Reg. 2009/551 / EC (only detergents)
- Reg. 1223/2009 / EC (Cosmetic Products), version in force
- ADR 2017

Other declarations:

- The substance / mixture meets / not covered the following regulations:
- Regulation 2009/1005 / EC (Ozone Layer)
- Regulation 2004/850 / EC, version in force. Reg. 2010/757 / EC (POPs)
- Regulation 2008/689 / EC (import / export hazardous chemicals)
- Directive 2003/105 / EC (Seveso III)
- The product is free of GMOs (genetically modified organisms) and their derivatives according with Regulation 834/2007 / EC
- BSE: The product is excluded from the concerns of Reg. EC 1139/2003, because it is not of animal origin, does not contain animal derivatives and has not come into contact at any stage of production with animal derivatives.
- Our company does not perform nor commissioned animal tests on the product or its components.
- Directive 1999/2 / EC and 1999/3 / EC: The product has not been treated with ionizing radiation.
- Directive 2010/59 / EU: the product is free of residual solvents present or they do not exceed the maximum limits.
- Directive 2008/149 / EC: the product is free of residues of contaminants or those authorized do not exceed the maximum limits.

Any recordings, restrictions, membership in narrow categories of one or more components, are listed below. The lack of information means that no further specifications, or that all the components belong to a lower risk category.

The regulations listed below are not exhaustive of all the local or national rules applicable to the substance / mixture (including its components). Additional information are available on demand.

All substances are registered / preregistered / exempt from registration in the ECHA database of chemicals.

Seveso category:

- P3b - FLAMMABLE AEROSOLS
- REGULATION (EU) No 1357/2014 - waste:  
HP3 - Flammable

#### Chemical safety assessment

No chemical safety assessment was carried out by the supplier

## SECTION 16. Other information

### 16.1. Other information

Description of the hazard statements exposed to point 3

H225 = Highly flammable liquid and vapour.

H319 = Causes serious eye irritation.

H302 = Harmful if swallowed.

H315 = Causes skin irritation.

H318 = Causes serious eye damage.

H400 = Very toxic to aquatic life.

H412 = Harmful to aquatic life with long lasting effects.

H410 = Very toxic to aquatic life with long lasting effects.

Classification based on data of all mixture components

The information reported are based on the known properties of substances at the date of this MSDS. The key relevant information on available exposure scenarios for substances are briefly included in sections 1.2, 7.3 and 8.2 . Our company is not responsible for the safety evaluation of downstream users, that shall ensure the suitability and completeness of such information in relation to their specific intended use. The available scenarios are provided on



## SAFETY DATA SHEET

### CURL KICK MOUSSE

Issued on 07/02/2014 - Rel. # 2 on 06/15/2017

# 12 / 12

In conformity to Regulation (EU) 2015/830

---

demand.

Bibliographical sources:

Safety Data Sheets suppliers. Relevant exposure scenarios.

European Commission, Health and Consumers, database Cosing, JRC-IHCP, ESIS, ECETOC

ECHA Brief Profiles (<http://echa.europa.eu>)

National Institute of Health, database labeling substances

The Good Scents Company (<http://www.thegoodscentscompany.com>)

EFFA code of Practises 2009 - IFRA / IOFI Labeling Manual

Ministry of Environment, DATABASE DESC

NIOSH Pocket Guide to Chemical Hazard

Pubchem Database

IFA GESTIS Substance Database

---